

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	3477	(704/270,500,501,201).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/11 15:55
S3	2471	(711/120,103).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/11 15:55
S4	2299	(710/52,53).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/19 13:18
S5	5	((("6145060") or ("6453281") or ("6016522") or ("6604168") or ("5787445")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/19 13:21
S6	1	unno.in. and player same audio same recorder same buffer same compressor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/11 16:49
S7	3	borgatti.in. and voice same device same record\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/19 13:30
S9	1	bisio.in. and voice same device same record\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/11 16:50
S10	3	rolandi.in. and voice same device same record\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/11 16:50
S11	0	posatti.in. and voice same device same record\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/11 16:51

EAST Search History

S12	7	stmicroelectronics.AS. and voice same device same record\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/11 16:51
S13	10	("5544119" "5787445" "5812773" "5842170" "6092082" "6161163" "6260103" "6269434" "6385690" "6483901").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/09/11 16:53
S14	1	voice same "1.024" same ("40" near2 kbps)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/11 18:43
S15	6	((("6145060") or ("6453281") or ("6016522") or ("6604168") or ("5787445") or ("6076063")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/19 13:21
S16	1	rocchi.in. and voice same device same record\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/19 13:30
S17	1	borgatti.in. and (voice same device same record\$3) and (user same interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/19 13:35
S18	1	borgatti.in. and (voice same device same record\$3) and (user same interface) and (non-volatile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/19 14:05
S19	1	borgatti.in. and (voice same device same record\$3) and (user same interface) and (non-volatile) and second	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/19 14:10
S20	1	borgatti.in. and (voice same device same record\$3) and (user same interface) and (non-volatile) and (second near2 stream)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/19 14:21
S21	0	borgatti.in. and (voice same device same record\$3) and (user same interface) and (non-volatile) and (second near2 stream) and request\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/19 14:21

EAST Search History

S22	1	borgatti.in. and (voice same device same record\$3) and (user same interface) and (non-volatile) and (second near2 stream) and controll\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/19 14:47
S23	15	record\$3 same reproduc\$4 same (IC chip) same control\$3 same compress\$3 same (voice)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/19 14:52
S24	10	("5544119" "5787445" "5812773" "5842170" "6092082" "6161163" "6260103" "6269434" "6385690" "6483901").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/09/19 15:00
S25	1376	(700/94).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/22 12:27
S26	0	("voicenear20chipnear20semicondu ctornear20busnear20memorynear20(interfacekeyboard)").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/22 13:05
S27	0	voice near20 chip near20 semiconductor near20 bus near20 memory near20 (interface keyboard)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/22 13:05
S28	4	voice near20 chip near20 bus near20 memory near20 (interface keyboard)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/22 13:06
S29	6	Ethernet near5 IP near5 (voice speech telephone) near5 chip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/22 13:09
S30	65	IP near5 (voice speech telephone) near5 chip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/22 13:10
S31	0	(voice speech telephone) near5 chip near5 bus near5 memory near5 converter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/22 13:15

EAST Search History

S32	0	(voice speech telephone) near10 chip near10 bus near10 memory near10 converter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/22 13:15
S33	30	(voice speech telephone) near10 chip near10 bus near10 memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/22 13:15
S34	0	((voice speech) adj2 record\$3) near20 chip near20 bus near20 memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/22 13:19
S35	4	((voice speech) adj2 record\$3) near20 chip near20 bus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/22 13:19
S36	85	single near5 chip near5 (voice speech) near5 record\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/22 13:40
S37	16	("5894275").URPN.	USPAT	OR	OFF	2008/02/22 13:50
S38	32	single near5 chip near5 (voice speech) near5 process\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/22 13:51
S39	3772	(bus adj2 arbiter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/25 11:00
S40	146	(bus adj2 arbiter) near10 chip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/25 11:00
S41	8	Synchronizat\$3 near10 between near10 speed near10 memory near10 bus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/25 11:02

EAST Search History

S42	6	((("6145060") or ("6453281") or ("6016522") or ("6604168") or ("5787445") or ("6076063"))).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/25 11:23
S43	4	S42 and play	USPAT	OR	OFF	2008/02/25 11:23
S44	0	S42 and fetch\$3	USPAT	OR	OFF	2008/02/25 11:26
S45	1	borgatti.in. and (voice same device same record\$3) and fetch\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/25 11:27
S46	6	((("6145060") or ("6453281") or ("6016522") or ("6604168") or ("5787445") or ("6076063"))).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/25 17:18
S47	4	(single near3 chip) near20 (voice speech) near20 record\$3 near20 bus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/25 17:20
S48	41	("3952294" "4093944" "4160246" "4363031" "4410883" "4453222" "4617555" "4623878" "4893324" "4896145" "4904988" "5019805" "5159315" "5349338" "5587705" "5594422" "5625345" "5651070" "5663714" "5726629" "5889468" "6002921" "6043750" "6052052" "6078269" "6084522" "6087933" "6097288" "6239704" "6323780" "6377172" "6380860" "6384724" "6392536" "6420973" "6441731" "6518878" "6522248" "6529128" "6690288" "6836212").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/25 17:24
S49	4	(single near20 chip) near20 (voice speech) near20 record\$3 near20 bus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/25 17:24
S50	0	(single near3 chip) near20 (voice speech) near20 record\$3 same codec	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/25 17:25

EAST Search History

S51	0	(single near3 chip) near20 (voice speech) near20 record\$3 near20 codec	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/25 17:25
S52	5	chip near20 (voice speech) near20 record\$3 near20 codec	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/25 17:25
S53	205	chip near20 (voice speech) near20 codec	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/25 17:26
S54	0	chip near20 (voice speech) near20 codec near20 flash	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/25 17:26
S55	21	(single near3 chip) near20 (voice speech) near20 codec	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/25 17:26
S56	1	(single near3 chip) near20 (voice speech) near20 codec near20 memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/25 17:32
S57	12	chip near20 (voice speech) near20 codec near20 memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/25 17:39
S58	49	codec near10 memory near10 buffers	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/25 18:30
S59	65	codec with memory with buffers	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/25 18:32
S60	204	flash near20 memory near20 compress\$3 near2 audio	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/26 10:14

EAST Search History

S61	1	flash near10 memory near10 (generat\$3 creat\$3 produc\$3) near10 compress\$3 near10 audio	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/26 10:15
S62	2	(flash non-volatile) near10 memory near10 (generat\$3 creat\$3 produc\$3) near10 compress\$3 near10 audio	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/26 10:25
S63	1	borgatti.in. and (voice same device same record\$3) and decompress\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/26 11:02
S64	4	central near5 local near5 bus near4 (EEPROM Flash non-volatile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/03/01 14:44
S65	96	(single near20 chip) near20 (voice speech) near20 record\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/03/01 14:59
S66	93	(single adj2 chip) near20 (voice speech) near20 record\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/03/01 14:59
S67	33	((single adj2 chip) near20 (voice speech) near20 record\$3) and bus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/03/01 15:01
S68	10	("5544119" "5787445" "5812773" "5842170" "6092082" "6161163" "6260103" "6269434" "6385690" "6483901").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/01 15:05
S69	3	("6092082").URPN.	USPAT	OR	OFF	2008/03/01 15:08
S70	6	("5668948" "5805821" "5825353" "5841699" "5860135" "5974426").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/01 15:09